CODERS' SPECIALTY GUIDE

Emergency Medicine

2024

Contents

+10004

Fine needle aspiration biopsy, without imaging guidance; each additional lesion (List separately in addition to code for primary procedure)

Clinical Responsibility

With the patient properly prepared and anesthetized (typically with local anesthesia) and following FNA of an initial lesion, the provider inserts a needle, such as an 18- to 25-gauge needle with an attached syringe, into an additional suspicious lesion or area of tissue and withdraws cells, tissue, or fluid for laboratory analysis. The provider may make several passes to obtain an adequate specimen. The provider then sends the aspirate to the pathology lab for analysis.

Coding Tips

For FNA of an initial lesion using imaging guidance, see 10005 (ultrasound), 10007 (fluoroscopy), 10009 (CT), and 10011 (MRI) and +10006, +10008, +10010 and +10012 for each additional lesion respectively.

Fee Schedule

Medicare Fees National Conversion Factor: 34.8931, Facility: $43.62, Non Facility: $52.34, OPPS Facility: $27.91, OPPS Non Facility: $27.91
RVU Facility Work RVU: 0.80, PE RVU: 0.34, Malpractice RVU: 0.11, Total RVU: 1.25
RVU Non-Facility Work RVU: 0.80, PE RVU: 0.59, Malpractice RVU: 0.11, Total RVU: 1.50
Indicators Preoperative: 0.00, Intraoperative: 0.00, Postoperative: 0.00, Total RVU: 0, Global Period: ZZZ, Radiology Diagnostic Test: 99, Code Status: A, PC/TC Indicator: 0, Endoscopic Base Code: None, MUE: 3
Modifier Allowances 22, 52, 53, 58, 59, 76, 77, 78, 79, 80, 81, 82, 99, AQ, AR, AS, GA, GC, GZ, LT, PD, Q6, QJ, RT, SC, XE, XP, XS, XU

CCI Alerts (version 27.3)

0213T[1], 0216T[1], 10012[1], 10035[1], 19281[1], 19283[1], 19285[1], 19287[1], 36000[1], 36410[1], 36591[0], 36592[0], 61650[1], 62324[1], 62325[1], 62326[1], 62327[1], 64415[1], 64416[1], 64417[1], 64450[1], 64454[1], 64486[1], 64487[1], 64488[1], 64489[1], 64490[1], 64493[1], 76000[1], 76380[1], 76942[1], 76998[1], 77001[1], 77002[1], 77012[1], 77021[1], 96360[1], 96365[1], 96372[1], 96374[1], 96375[1], 96376[1], 96377[1], 96523[0], J2001[1]

ICD-10 CrossRef

C00.3, C01, C02.9, C04.1, C06.9, C07, C08.0, C12, C13.9, C15.9, C22.0-C22.4, C22.7, C22.8, C32.1, C32.8, C34.30-C34.32, C43.20-C43.22, C43.30-C43.39, C43.51-C43.59, C43.60-C43.62, C46.0, C50.011-C50.019, C50.111-C50.119, C50.211-C50.219, C50.411-C50.419, C50.811-C50.819, C50.911-C50.919, C51.9, C76.0, C76.1, C77.0, C77.3, C79.2, C79.81, C79.89, C79.9, C82.50, C82.51, C82.55, C82.59, C83.31-C83.35, C84.90, C84.91, C84.95, C84.99, C84.A0, C84.A1, C84.A5, C84.A9, C84.Z0, C84.Z1, C84.Z5, C84.Z9, C85.10, C85.11, C85.15, C85.19, C85.20, C85.21, C85.25, C85.29, C85.80, C85.81, C85.85, C85.89, C85.90, C85.91, C85.95,

C85.99, C86.0, C86.4, C88.8, C94.40-C94.42, C94.6, D03.20-D03.22, D03.30, D03.39, D03.51-D03.59, D03.60-D03.62, D05.00-D05.02, D05.10-D05.12, D05.80-D05.82, D05.90-D05.92, D11.0-D11.9, D17.0, D17.1, D17.20-D17.24, D17.30, D17.39, D17.72, D17.79, D17.9, D19.7, D21.0, D22.5, D22.70-D22.72, D23.5, D23.70-D23.72, D36.0, D36.7, D37.030-D37.039, D44.0-D44.2, D44.9, D47.1, D47.2, D47.9, D47.Z9, D48.0-D48.2, D48.60-D48.62, D48.7, D48.9, D49.0-D49.7, D49.9, D64.9, D75.9, D78.01, D78.02, D78.21, D78.22, D89.2, E01.0-E01.2, E03.4, E03.9, E04.0-E04.9, E06.0, E07.89, E07.9, E35, E36.01, E36.02, E65, E78.71, E89.820-E89.823, G97.31, G97.32, G97.51, G97.52, G97.63, G97.64, H66.10-H66.13, H69.80-H69.83, H93.8X1-H93.8X9, H94.80-H94.83, H95.21, H95.22, H95.41, H95.42, H95.53, H95.54, I42.0-I42.5, I42.8, I42.9, I70.235, I70.245, I70.335, I70.345, I70.435, I70.445, I70.535, I70.545, I70.635, I70.645, I70.735, I70.745, I82.91, I88.1-I88.9, I89.8, I97.410-I97.418, I97.42, I97.610-I97.618, I97.622, I97.640-I97.648, J95.61, J95.62, J95.830, J95.831, J95.862, J95.863, J98.4, K11.20-K11.23, K11.3-K11.6, K11.9, K91.61, K91.62, K91.840, K91.841, K91.870-K91.873, L02.31, L02.415, L02.416, L02.419, L02.91, L03.115, L03.116, L03.119, L03.125, L03.126, L03.129, L03.317, L03.327, L03.90, L03.91, L57.0, L76.01, L76.02, L76.21, L76.22, L76.31-L76.34, L97.501-L97.504, L97.509, L97.511-L97.514, L97.519, L97.521-L97.524, L97.529, L98.3, L98.7, M54.2, M70.20-M70.22, M71.30, M77.10-M77.12, M79.4, M81.0, M96.810, M96.811, M96.830, M96.831, M96.840-M96.843, N60.01-N60.09, N60.11-N60.19, N61.0, N62, N63.0, N63.10-N63.15, N63.20-N63.25, N63.31, N63.32, N63.41, N63.42, N64.1, N64.4, N99.61, N99.62, N99.820, N99.821, N99.840-N99.843, Q18.0-Q18.9, Q87.2, Q87.3, Q87.5, Q87.81, Q87.89, Q89.2, Q89.8, R13.0, R13.10, R18.8, R19.02, R20.8, R20.9, R22.0-R22.2, R22.30-R22.33, R22.40-R22.43, R22.9, R29.4, R59.0-R59.9, R68.89, R69, R90.0, R92.1, R92.8, R99, S90.421D, S90.422D, S90.423D, S90.424D, S90.425D, S90.426D, S90.521D, S90.522D, S90.529D, S90.821D, S90.822D, S90.829D, S90.869A, Y84.4, Z00.6, Z12.89, Z85.21, Z85.3, Z85.6, Z86.79

10005

Fine needle aspiration biopsy, including ultrasound guidance; first lesion

Clinical Responsibility

With the patient properly prepared and anesthetized (typically with local anesthesia), the provider inserts a needle, such as an 18- to 25-gauge needle with an attached syringe, under ultrasound imaging guidance into a suspicious lesion or area of tissue and withdraws cells, tissue, or fluid for laboratory analysis. The provider may make several passes to obtain an adequate specimen. The provider then sends the aspirate to the pathology lab for analysis.

Coding Tips

Report +10006 for each additional lesion in addition to the primary code 10005.

For FNA of an initial lesion using other types of imaging guidance, see 10007 (fluoroscopy), 10009 (CT), and 10011 (MRI) and +10008, +10010 and +10012 for each additional lesion respectively.

Modifier: 0 = not allowed, 1 = allowed

+10008 — +10008

GENERAL

RVU Facility Work RVU: 1.81, PE RVU: 0.67, Malpractice RVU: 0.19, Total RVU: 2.67
RVU Non-Facility Work RVU: 1.81, PE RVU: 7.06, Malpractice RVU: 0.19, Total RVU: 9.06
Indicators Preoperative: 0.00, Intraoperative: 0.00, Postoperative: 0.00, Total RVU: 0, Global Period: XXX, Radiology Diagnostic Test: 99, Code Status: A, PC/TC Indicator: 0, Endoscopic Base Code: None, MUE: 1
Modifier Allowances 22, 51, 52, 53, 58, 59, 76, 77, 78, 79, 80, 81, 82, 99, AQ, AR, AS, GA, GC, GZ, LT, PD, Q6, QJ, RT, SC, XE, XP, XS, XU

CCI Alerts (version 27.3)

0213T[1], 0216T[1], 10004[1], 10005[1], 10006[1], 10010[1], 10011[1], 10012[1], 10021[1], 10035[1], 11102[1], 11103[1], 11104[1], 11105[1], 11106[1], 11107[1], 19281[1], 19283[1], 19285[1], 19287[1], 36000[1], 36410[1], 36591[0], 36592[0], 61650[1], 62324[1], 62325[1], 62326[1], 62327[1], 64415[1], 64416[1], 64417[1], 64450[1], 64454[1], 64486[1], 64487[1], 64488[1], 64489[1], 64490[1], 64493[1], 76000[1], 76380[1], 76942[1], 76998[1], 77001[1], 77002[1], 77012[1], 77021[1], 96360[1], 96365[1], 96372[1], 96374[1], 96375[1], 96376[1], 96377[1], 96523[0], J2001[1]

ICD-10 CrossRef

C00.3, C01, C02.9, C04.1, C06.9, C07, C08.0, C12, C13.9, C15.9, C22.0-C22.4, C22.7, C22.8, C32.1, C32.8, C34.30-C34.32, C43.20-C43.22, C43.30-C43.39, C43.51-C43.59, C43.60-C43.62, C46.0, C50.011-C50.019, C50.111-C50.119, C50.211-C50.219, C50.411-C50.419, C50.811-C50.819, C50.911-C50.919, C51.9, C76.0, C76.1, C77.0, C77.3, C79.2, C79.81, C79.89, C79.9, C81.00-C81.09, C81.10-C81.19, C81.20-C81.29, C81.30-C81.39, C81.40-C81.49, C81.70-C81.79, C81.90-C81.99, C82.00-C82.09, C82.10-C82.19, C82.20-C82.29, C82.30-C82.39, C82.40-C82.49, C82.50-C82.59, C82.60-C82.69, C82.80-C82.89, C82.90-C82.99, C83.00-C83.09, C83.10-C83.19, C83.30-C83.39, C83.50-C83.59, C83.70-C83.79, C83.80-C83.89, C83.90-C83.99, C84.40-C84.49, C84.60-C84.69, C84.70-C84.79, C84.76, C84.77, C84.78, C84.79, C84.90-C84.99, C84.A0-C84.A9, C84.Z0-C84.Z9, C85.10-C85.19, C85.20-C85.29, C85.80-C85.89, C85.90-C85.99, C86.0-C86.5, C88.4, C88.8, C91.50-C91.52, C94.40-C94.42, C94.6, D03.20-D03.22, D03.30, D03.39, D03.51-D03.59, D03.60-D03.62, D05.00-D05.02, D05.10-D05.12, D05.80-D05.82, D05.90-D05.92, D11.0-D11.9, D17.0, D17.1, D17.20-D17.24, D17.30, D17.39, D17.72, D17.79, D17.9, D19.7, D21.0, D22.5, D22.70-D22.72, D23.5, D23.70-D23.72, D36.0, D36.7, D37.030-D37.039, D44.0-D44.2, D44.9, D47.1, D47.2, D47.9, D47.Z9, D48.1, D48.2, D48.60-D48.62, D48.7, D48.9, D49.0-D49.7, D49.9, D64.9, D75.9, D78.01, D78.02, D78.21, D78.22, D89.2, E01.0-E01.2, E03.4, E03.9, E04.0-E04.9, E06.0, E07.89, E07.9, E35, E36.01, E36.02, E65, E78.71, E89.820-E89.823, G97.31, G97.32, G97.51, G97.52, G97.63, G97.64, H66.10-H66.13, H69.80-H69.83, H93.8X1-H93.8X9, H94.80-H94.83, H95.21, H95.22, H95.41, H95.42, H95.53, H95.54, I42.0-I42.5, I42.8, I42.9, I70.235, I70.245, I70.335, I70.345, I70.435, I70.445, I70.535, I70.545, I70.635, I70.645, I70.735, I70.745, I82.91, I88.1-I88.9, I89.8, I97.410-I97.418, I97.42, I97.610-I97.618, I97.622, I97.640-I97.648, J95.61, J95.62, J95.830, J95.831, J95.862, J95.863, J98.4, K11.20-K11.23, K11.3-K11.6, K11.9, K91.61, K91.62, K91.840, K91.841, K91.870-K91.873, L02.31, L02.415, L02.416, L02.419, L02.91, L03.115, L03.116, L03.119, L03.125, L03.126, L03.129, L03.317, L03.327, L03.90, L03.91, L57.0, L76.01, L76.02, L76.21, L76.22, L76.31-L76.34, L97.501-L97.504, L97.509, L97.511-L97.514, L97.519, L97.521-L97.524, L97.529, L98.3, L98.7, M71.30, M79.4, M96.810, M96.811, M96.830, M96.831, M96.840-M96.843, N60.01-N60.09, N60.11-N60.19, N61.0, N62, N63.0, N63.10-N63.15, N63.20-N63.25, N63.31, N63.32, N63.41, N63.42, N64.1, N99.61, N99.62, N99.820, N99.821, N99.840-N99.843, R18.8, R19.02, R20.8, R20.9, R22.0-R22.2, R22.30-R22.33, R22.40-R22.43, R22.9, R59.0-R59.9, R90.0, R92.1, R92.8, S14.111A-S14.111S, S14.112A-S14.112S, S14.113A-S14.113S, S14.114A-S14.114S, S14.115A-S14.115S, S14.116A-S14.116S, S14.117A-S14.117S, S14.118A-S14.118S, S14.119A-S14.119S, S14.151A-S14.151S, S14.152A-S14.152S, S14.153A-S14.153S, S14.154A-S14.154S, S14.155A-S14.155S, S14.156A-S14.156S, S14.157A-S14.157S, S14.158A-S14.158S, S14.159A-S14.159S, S24.111A-S24.111S, S24.112A-S24.112S, S24.113A-S24.113S, S24.114A-S24.114S, S24.119A-S24.119S, S24.151A-S24.151S, S24.152A-S24.152S, S24.153A-S24.153S, S24.154A-S24.154S, S24.159A-S24.159S, S34.111A-S34.111S, S34.112A-S34.112S, S34.113A-S34.113S, S34.114A-S34.114S, S34.115A-S34.115S, S34.119A-S34.119S, S34.121A-S34.121S, S34.122A-S34.122S, S34.123A-S34.123S, S34.124A-S34.124S, S34.125A-S34.125S, S34.129A-S34.129S, S90.869A, Y84.4, Z00.6, Z12.89, Z85.21, Z85.3, Z85.6, Z85.71, Z85.72

+10008

Fine needle aspiration biopsy, including fluoroscopic guidance; each additional lesion (List separately in addition to code for primary procedure)

Clinical Responsibility

With the patient properly prepared and anesthetized (typically with local anesthesia) and following FNA of an initial lesion, the provider inserts a needle, such as an 18- to 25-gauge needle with an attached syringe, under fluoroscopic imaging guidance into an additional suspicious lesion or area of tissue and withdraws cells, tissue, or fluid for laboratory analysis. The provider may make several passes to obtain an adequate specimen. The provider then sends the aspirate to the pathology lab for analysis.

Coding Tips

For FNA of an initial lesion using other types of imaging guidance, see 10005 (ultrasound), 10009 (CT), and 10011 (MRI) and +10006, +10010 and +10012 for each additional lesion respectively.

For FNA without imaging guidance, report 10021 for the initial lesion and +10004 for each additional lesion.

Fee Schedule

Medicare Fees National Conversion Factor: 34.8931, Facility: $59.32, Non Facility: $167.84, OPPS Facility: $41.17, OPPS Non Facility: $41.17
RVU Facility Work RVU: 1.18, PE RVU: 0.41, Malpractice RVU: 0.11, Total RVU: 1.70
RVU Non-Facility Work RVU: 1.18, PE RVU: 3.52, Malpractice RVU: 0.11, Total RVU: 4.81
Indicators Preoperative: 0.00, Intraoperative: 0.00, Postoperative: 0.00, Total RVU: 0, Global Period: ZZZ, Radiology Diagnostic Test: 99, Code Status: A, PC/TC Indicator: 0, Endoscopic Base Code: None, MUE: 2

Modifier: 0 = not allowed, 1 = allowed

10030

Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous

Clinical Responsibility

The provider inserts a catheter through the skin using imaging to view the fluid. He then drains the fluid from the soft tissue in cases such as abscess, hematoma, seroma, lymphocele, or cyst. Imaging guidance for needle and catheter placement can be by ultrasound, fluoroscopy, or computed tomography. This procedure can be done by using a catheter that is mounted on a sharp trocar, which is placed through a small skin incision made next to a guiding needle, or by inserting a hollow needle into the cavity and passing a guidewire through the needle to create a path for the drainage catheter. The area is drained, and the catheter, which is left in place, ensures continued drainage.

Coding Tips

For the same procedure on an organ, such as kidney, liver, spleen, or lung or mediastinum, see 49405.

For the same procedure on a fluid collection in the peritoneal or retroperitoneal space, see 49406.

For a fluid collection procedure on the peritoneal or retroperitoneal space but through a vaginal or rectal access route, see 49407.

For incision and drainage of a hematoma, seroma or fluid collection, see 10140.

Fee Schedule

Medicare Fees National Conversion Factor: 34.8931, Facility: $137.83, Non Facility: $681.46, OPPS Facility: $95.96, OPPS Non Facility: $95.96
RVU Facility Work RVU: 2.75, PE RVU: 0.94, Malpractice RVU: 0.26, Total RVU: 3.95
RVU Non-Facility Work RVU: 2.75, PE RVU: 16.52, Malpractice RVU: 0.26, Total RVU: 19.53
Indicators Preoperative: 0.00, Intraoperative: 0.00, Postoperative: 0.00, Total RVU: 0, Global Period: 000, Radiology Diagnostic Test: 99, Code Status: A, PC/TC Indicator: 9, Endoscopic Base Code: None, MUE: 2
Modifier Allowances 22, 47, 51, 52, 53, 54, 55, 56, 58, 59, 76, 77, 78, 79, 80, 81, 82, 99, AF, AG, AQ, AR, AS, GA, GC, GZ, KX, PD, Q5, Q6, QJ, XE, XP, XS, XU

CCI Alerts (version 27.3)

0213T[0], 0216T[0], 0596T[1], 0597T[1], 10060[1], 10061[1], 10080[1], 10081[1], 10140[1], 10160[1], 11055[1], 11056[1], 11057[1], 11401[1], 11402[1], 11403[1], 11404[1], 11406[1], 11421[1], 11422[1], 11423[1], 11424[1], 11426[1], 11441[1], 11442[1], 11443[1], 11444[1], 11446[1], 11450[1], 11451[1], 11462[1], 11463[1], 11470[1], 11471[1], 11600[1], 11601[1], 11602[1], 11603[1], 11604[1], 11606[1], 11620[1], 11621[1], 11622[1], 11623[1], 11624[1], 11626[1], 11640[1], 11641[1], 11642[1], 11643[1], 11644[1], 11646[1], 11719[1], 11720[1], 11721[1], 11765[1],

12001[1], 12002[1], 12004[1], 12005[1], 12006[1], 12007[1], 12011[1], 12013[1], 12014[1], 12015[1], 12016[1], 12017[1], 12018[1], 12020[1], 12021[1], 12031[1], 12032[1], 12034[1], 12035[1], 12036[1], 12037[1], 12041[1], 12042[1], 12044[1], 12045[1], 12046[1], 12047[1], 12051[1], 12052[1], 12053[1], 12054[1], 12055[1], 12056[1], 12057[1], 13100[1], 13101[1], 13102[1], 13120[1], 13121[1], 13122[1], 13131[1], 13132[1], 13133[1], 13151[1], 13152[1], 13153[1], 20500[1], 29580[1], 29581[1], 36000[1], 36400[1], 36405[1], 36406[1], 36410[1], 36420[1], 36425[1], 36430[1], 36440[1], 36591[0], 36592[0], 36600[1], 36640[1], 43752[1], 51701[1], 51702[1], 51703[1], 61650[1], 62320[1], 62321[0], 62322[0], 62323[0], 62324[0], 62325[0], 62326[0], 62327[0], 64400[0], 64405[0], 64408[0], 64415[0], 64416[0], 64417[0], 64418[0], 64420[0], 64421[0], 64425[0], 64430[0], 64435[0], 64445[0], 64446[0], 64447[0], 64448[0], 64449[0], 64450[1], 64451[0], 64454[1], 64461[0], 64462[0], 64463[0], 64479[0], 64480[0], 64483[0], 64484[0], 64486[0], 64487[0], 64488[0], 64489[0], 64490[0], 64491[0], 64492[0], 64493[0], 64494[0], 64495[0], 64505[0], 64510[0], 64517[0], 64520[0], 64530[0], 69990[0], 75989[1], 76000[1], 76380[1], 76942[1], 76998[1], 77002[1], 77003[1], 77012[1], 77021[1], 92012[1], 92014[1], 93000[1], 93005[1], 93010[1], 93040[1], 93041[1], 93042[1], 93318[1], 93355[1], 94002[1], 94200[1], 94680[1], 94681[1], 94690[1], 95812[1], 95813[1], 95816[1], 95819[1], 95822[1], 95829[1], 95955[1], 96360[1], 96361[1], 96365[1], 96366[1], 96367[1], 96368[1], 96372[1], 96374[1], 96375[1], 96376[1], 96377[1], 96523[0], 97597[1], 97598[1], 97602[1], 97605[1], 97606[1], 97607[1], 97608[1], 99155[0], 99156[0], 99157[0], 99211[1], 99212[1], 99213[1], 99214[1], 99215[1], 99217[1], 99218[1], 99219[1], 99220[1], 99221[1], 99222[1], 99223[1], 99231[1], 99232[1], 99233[1], 99234[1], 99235[1], 99236[1], 99238[1], 99239[1], 99241[1], 99242[1], 99243[1], 99244[1], 99245[1], 99251[1], 99252[1], 99253[1], 99254[1], 99255[1], 99291[1], 99292[1], 99304[1], 99305[1], 99306[1], 99307[1], 99308[1], 99309[1], 99310[1], 99315[1], 99316[1], 99334[1], 99335[1], 99336[1], 99337[1], 99347[1], 99348[1], 99349[1], 99350[1], 99374[1], 99375[1], 99377[1], 99378[1], 99446[0], 99447[0], 99448[0], 99449[0], 99451[0], 99452[0], G0127[1], G0463[1], G0471[1], J0670[1], J2001[1]

ICD-10 CrossRef

D78.01, D78.02, D78.21, D78.22, E36.01, E36.02, E89.820, E89.821, G97.31, G97.32, G97.51, G97.52, H59.111-H59.119, H59.121-H59.129, H59.311-H59.319, H59.321-H59.329, H95.21, H95.22, H95.41, H95.42, I89.8, I97.410-I97.418, I97.42, I97.610-I97.618, I97.620, I97.621, I97.630-I97.638, J95.61, J95.62, J95.830, J95.831, K68.11, K91.61, K91.62, K91.840, K91.841, K91.870, K91.871, L02.811, L02.818, L02.91, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L72.0-L72.3, L72.8, L72.9, L76.01, L76.02, L76.21, L76.22, L76.31, L76.32, L98.3, L98.7, M72.8, M79.81, M96.810, M96.811, M96.830, M96.831, M96.840-M96.843, N99.61, N99.62, N99.820, N99.821, N99.840-N99.843, O91.011-O91.019, O91.02, O91.03, O91.111-O91.119, O91.12, O91.13, T79.2XXA, T87.89

10035

Placement of soft tissue localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous, including imaging guidance; first lesion

Clinical Responsibility

When the patient is appropriately prepped and anesthetized, the provider uses image guidance to view the exact location of the lesion in the affected soft tissue. The provider then uses a needle introducer to place the localization device through the skin to the target tissue. After placing the device, the provider uses image

12018[1], 12020[1], 12021[1], 12031[1], 12032[1], 12034[1], 12035[1], 12036[1], 12037[1], 12041[1], 12042[1], 12044[1], 12045[1], 12046[1], 12047[1], 12051[1], 12052[1], 12053[1], 12054[1], 12055[1], 12056[1], 12057[1], 13100[1], 13101[1], 13102[1], 13120[1], 13121[1], 13122[1], 13131[1], 13132[1], 13133[1], 13151[1], 13152[1], 13153[1], 20500[1], 29580[1], 29581[1], 30000[1], 36000[1], 36400[1], 36405[1], 36406[1], 36410[1], 36420[1], 36425[1], 36430[1], 36440[1], 36591[0], 36592[0], 36600[1], 36640[1], 43752[1], 51701[1], 51702[1], 51703[1], 62320[0], 62321[0], 62322[0], 62323[0], 62324[0], 62325[0], 62326[0], 62327[0], 64400[0], 64405[0], 64408[0], 64415[0], 64416[0], 64417[0], 64418[0], 64420[0], 64421[0], 64425[0], 64430[0], 64435[0], 64445[0], 64446[0], 64447[0], 64448[0], 64449[0], 64450[1], 64451[0], 64454[1], 64461[0], 64462[0], 64463[0], 64479[0], 64480[0], 64483[0], 64484[0], 64486[0], 64487[0], 64488[0], 64489[0], 64490[0], 64491[0], 64492[0], 64493[0], 64494[0], 64495[0], 64505[0], 64510[0], 64517[0], 64520[0], 64530[0], 69990[0], 92012[1], 92014[1], 93000[1], 93005[1], 93010[1], 93040[1], 93041[1], 93042[1], 93318[1], 93355[1], 94002[1], 94200[1], 94680[1], 94681[1], 94690[1], 95812[1], 95813[1], 95816[1], 95819[1], 95822[1], 95829[1], 95955[1], 96360[1], 96361[1], 96365[1], 96366[1], 96367[1], 96368[1], 96372[1], 96374[1], 96375[1], 96376[1], 96377[1], 96523[0], 97597[1], 97598[1], 97602[1], 97605[1], 97606[1], 97607[1], 97608[1], 99155[1], 99156[0], 99157[0], 99211[1], 99212[1], 99213[1], 99214[1], 99215[1], 99217[1], 99218[1], 99219[1], 99220[1], 99221[1], 99222[1], 99223[1], 99231[1], 99232[1], 99233[1], 99234[1], 99235[1], 99236[1], 99238[1], 99239[1], 99241[1], 99242[1], 99243[1], 99244[1], 99245[1], 99251[1], 99252[1], 99253[1], 99254[1], 99255[1], 99291[1], 99292[1], 99304[1], 99305[1], 99306[1], 99307[1], 99308[1], 99309[1], 99310[1], 99315[1], 99316[1], 99334[1], 99335[1], 99336[1], 99337[1], 99347[1], 99348[1], 99349[1], 99350[1], 99374[1], 99375[1], 99377[1], 99378[1], 99446[1], 99447[0], 99448[0], 99449[0], 99451[0], 99452[0], 99495[0], 99496[0], G0127[1], G0463[1], G0471[1], J0670[1], J2001[1]

ICD-10 CrossRef

ICD-10-CM contains hundreds of matches for this code. Please check individual payer guidelines for specific coverage determinations.

10061

Incision and drainage of abscess (eg, carbuncle, suppurative hidradenitis, cutaneous or subcutaneous abscess, cyst, furuncle, or paronychia); complicated or multiple

Clinical Responsibility

When the patient is appropriately prepped and anesthetized, the provider makes a circumferential incision over the target area of abscess. He deepens the incision through the vascular inner layer of skin and down to the deep level of abscess cavity. The provider then opens the abscess and excises the inflamed fatty and dead tissues within the cavity and drains the pus completely. When the provider successfully accomplishes the procedure, he may leave this wound open for continuous discharge of fluids and may use woven cotton cloth to soak up fluids and blood. The provider may use a small surgical clamp to break up any loculations within the cavity and may insert gauze or other material to pack the abscess cavity. The provider may repeat this procedure for additional lesions. Some lesions may require placement of a drain for continued drainage. This procedure takes more time than a simple I&D and requires more extensive incisions and/or a more complicated closure.

Coding Tips

Report this code if the provider performs incision and drainage of an abscess for complex or severe and multiple capsules like cysts. A complicated I&D takes more time than usual and involves multiple incisions, drain placements, extensive packing, and subsequent wound closure.

For a simple or single I&D of the same types of lesions, report 10060.

This code is not used for I&D of pilonidal cysts, hematomas, foreign bodies, or wound infections. See codes 10080 to 10180 to report those services.

Illustration

Incision over abscess

Drainage device

10061

Fee Schedule

Medicare Fees National Conversion Factor: 34.8931, Facility: $185.98, Non Facility: $216.69, OPPS Facility: $85.49, OPPS Non Facility: $85.49
RVU Facility Work RVU: 2.45, PE RVU: 2.57, Malpractice RVU: 0.31, Total RVU: 5.33
RVU Non-Facility Work RVU: 2.45, PE RVU: 3.45, Malpractice RVU: 0.31, Total RVU: 6.21
Indicators Preoperative: 10.00, Intraoperative: 80.00, Postoperative: 10.00, Total RVU: 100, Global Period: 010, Radiology Diagnostic Test: 99, Code Status: A, PC/TC Indicator: 0, Endoscopic Base Code: None, MUE: 1

Modifier: 0 = not allowed, 1 = allowed

13151

Repair, complex, eyelids, nose, ears and/or lips; 1.1 cm to 2.5 cm

Clinical Responsibility

The provider performs a complex repair or multilayered closure of a wound to the eyelids, nose, ears, and/or lips. Total length or wound diameter repaired in a complex manner must be from 1.1 cm to 2.5 cm. This procedure involves more than layered closure, involving such elements as extensive undermining, stents, or retained sutures. Preparation for this procedure includes creation of a defect for repairs, e.g., excision of a scar requiring a complex repair, or the debridement of complicated lacerations or avulsions.

Coding Tips

Elements of this procedure can include a Webster-type subcutaneous suture, a Gilles corner stitch, and/or a stellate laceration repair.

Complex repairs are often reconstructive procedures and include the creation of a defect to be repaired, for instance, excision of the scar and subsequent closure. Such repairs do not, however, include lesion excision, which is separately reportable.

You'll use this code when the provider repairs complex facial wounds measuring 1.1 cm to 2.5 cm. For repair of eyelids, nose, ears, and/or lips of wound area 1.0 cm or less, use codes from intermediate or simple repair sections.

Fee Schedule

Medicare Fees National Conversion Factor: 34.8931, Facility: $282.98, Non Facility: $441.05, OPPS Facility: $151.44, OPPS Non Facility: $151.44
RVU Facility Work RVU: 4.34, PE RVU: 3.26, Malpractice RVU: 0.51, Total RVU: 8.11
RVU Non-Facility Work RVU: 4.34, PE RVU: 7.79, Malpractice RVU: 0.51, Total RVU: 12.64
Indicators Preoperative: 10.00, Intraoperative: 80.00, Postoperative: 10.00, Total RVU: 100, Global Period: 010, Radiology Diagnostic Test: 99, Code Status: A, PC/TC Indicator: 0, Endoscopic Base Code: None, MUE: 1
Modifier Allowances 22, 51, 52, 53, 54, 55, 56, 58, 59, 76, 77, 78, 79, 99, AG, AQ, AR, E1, E2, E3, E4, ET, GA, GC, GJ, GR, KX, LT, PD, Q5, Q6, QJ, RT, XE, XP, XS, XU

CCI Alerts (version 27.3)

0213T[0], 0216T[0], 0567T[1], 0568T[1], 0569T[1], 0570T[1], 0571T[1], 0572T[1], 0573T[1], 0574T[1], 0580T[1], 0581T[1], 0582T[1], 11000[1], 11010[1], 11011[1], 11012[1], 11042[1], 11043[1], 11044[1], 11056[1], 11900[1], 11901[1], 13153[0], 13160[1], 15772[1], 15774[1], 20560[1], 20561[1], 20700[1], 20701[1], 36000[1], 36400[1], 36405[1], 36406[1], 36410[1], 36420[1], 36425[1], 36430[1], 36440[1], 36591[0], 36592[0], 36600[1], 36640[1], 40654[1], 43752[1], 51701[1], 51702[1], 51703[1], 64400[0], 64405[0], 64408[0], 64415[0], 64416[0], 64417[0], 64418[0], 64420[0], 64421[0], 64425[0], 64430[0], 64435[0], 64445[0], 64446[0], 64447[0], 64448[0], 64449[0], 64450[1], 64451[1], 64479[0], 64480[0], 64483[0], 64484[0], 64490[0], 64491[0], 64492[0], 64493[0], 64494[0], 64495[0], 65505[0], 64510[0], 64517[0], 64520[0], 64530[0], 64625[1], 66987[1], 66988[1], 69990[1], 92012[1],

92014[1], 93000[1], 93005[1], 93010[1], 93040[1], 93041[1], 93042[1], 93318[1], 93355[1], 94002[1], 94200[1], 94680[1], 94681[1], 94690[1], 95812[1], 95813[1], 95816[1], 95819[1], 95822[1], 95829[1], 95955[1], 96360[1], 96361[1], 96365[1], 96366[1], 96367[1], 96368[1], 96372[1], 96374[1], 96375[1], 96376[1], 96377[1], 96523[0], 97597[1], 97598[1], 97602[1], 97605[1], 97606[1], 97607[1], 97608[1], 99155[0], 99156[0], 99157[0], 99211[1], 99212[1], 99213[1], 99214[1], 99215[1], 99217[1], 99218[1], 99219[1], 99220[1], 99221[1], 99222[1], 99223[1], 99231[1], 99232[1], 99233[1], 99234[1], 99235[1], 99236[1], 99238[1], 99239[1], 99241[1], 99242[1], 99243[1], 99244[1], 99245[1], 99251[1], 99252[1], 99253[1], 99254[1], 99255[1], 99291[1], 99292[1], 99304[1], 99305[1], 99306[1], 99307[1], 99308[1], 99309[1], 99310[1], 99315[1], 99316[1], 99334[1], 99335[1], 99336[1], 99337[1], 99347[1], 99348[1], 99349[1], 99350[1], 99374[1], 99375[1], 99377[1], 99378[1], 99446[0], 99447[0], 99448[0], 99449[0], 99451[0], 99452[0], 99495[0], 99496[0], G0168[1], G0463[1], G0471[1], J0670[1], J2001[1]

ICD-10 CrossRef

C00.0-C00.9, C43.0, C43.10, C43.111, C43.112, C43.121, C43.122, C43.20-C43.22, C43.30-C43.39, C44.00-C44.09, C44.101, C44.1021, C44.1022, C44.1091, C44.1092, C44.111, C44.1121, C44.1122, C44.1191, C44.1192, C44.121, C44.1221, C44.1222, C44.1291, C44.1292, C44.131, C44.1321, C44.1322, C44.1391, C44.1392, C44.191, C44.1921, C44.1922, C44.1991, C44.1992, C44.201-C44.209, C44.211-C44.219, C44.221-C44.229, C44.291-C44.299, C44.301, C44.311, C44.321, C44.391, C4A.0-C4A.9, C4A.10, C4A.111, C4A.112, C4A.121, C4A.122, C4A.20-C4A.22, C4A.30-C4A.39, C7B.1, D03.0, D03.10, D03.111, D03.112, D03.121, D03.122, D03.20-D03.22, D03.30, D03.39, D04.0, D04.10, D04.111, D04.112, D04.121, D04.122, D04.20-D04.22, D04.30, D04.39, D10.0, D18.01, D22.0, D22.10, D22.111, D22.112, D22.121, D22.122, D22.20-D22.22, D23.0, D23.10, D23.111, D23.112, D23.121, D23.122, D23.20-D23.22, D48.5, D49.2, H02.821-H02.829, L72.0-L72.3, L72.8, L72.9, L90.5, L92.3, L92.8, L98.9, S01.111A, S01.112A, S01.119A, S01.121A, S01.122A, S01.129A, S01.131A, S01.132A, S01.139A, S01.141A, S01.142A, S01.149A, S01.151A, S01.152A, S01.159A, S01.21XA, S01.22XA, S01.23XA, S01.24XA, S01.25XA, S01.311A, S01.312A, S01.319A, S01.321A, S01.322A, S01.329A, S01.331A, S01.332A, S01.339A, S01.341A, S01.342A, S01.349A, S01.351A, S01.352A, S01.359A, S01.511A, S01.521A, S01.531A, S01.541A, S01.551A, S08.121A, S08.122A, S08.129A, S08.812A, S09.311A, S09.312A, S09.313A, S09.319A, S09.92XA, W26.2XXA, W26.8XXA, W26.9XXA

13152

Repair, complex, eyelids, nose, ears and/or lips; 2.6 cm to 7.5 cm

Clinical Responsibility

The physician performs a complex repair or multilayered closure of a wound to the eyelids, nose, ears, and/or lips. Total length or wound diameter repaired in a complex manner must be from 2.6 cm to 7.5 cm. This procedure involves more than layered closure, involving such elements as extensive undermining, stents, or retained sutures. Preparation for this procedure includes creation of a defect for repairs, e.g., excision of a scar requiring a complex repair, or the debridement of complicated lacerations or avulsions.

Coding Tips

Elements of this procedure can include: a Webster-type subcutaneous suture, a Gilles corner stitch, and/or a stellate laceration repair. Complex repairs are often reconstructive procedures and include the creation of a defect to be repaired, for instance, excision of the scar and subsequent closure. Such repairs do not, however, include lesion excision, which is separately reportable.

You'll use this code when the provider repairs complex facial wounds measuring 2.6 cm to 7.5 cm. For repair of eyelids, nose, ears and/or lips of wound area 1.0 cm or less, use codes from intermediate or simple repair sections.

Fee Schedule

Medicare Fees National Conversion Factor: 34.8931, Facility: $341.25, Non Facility: $519.21, OPPS Facility: $186.33, OPPS Non Facility: $186.33
RVU Facility Work RVU: 5.34, PE RVU: 3.83, Malpractice RVU: 0.61, Total RVU: 9.78
RVU Non-Facility Work RVU: 5.34, PE RVU: 8.93, Malpractice RVU: 0.61, Total RVU: 14.88
Indicators Preoperative: 10.00, Intraoperative: 80.00, Postoperative: 10.00, Total RVU: 100, Global Period: 010, Radiology Diagnostic Test: 99, Code Status: A, PC/TC Indicator: 0, Endoscopic Base Code: None, MUE: 1
Modifier Allowances 22, 51, 52, 53, 54, 55, 56, 58, 59, 76, 77, 78, 79, 99, AQ, AR, E1, E2, E3, E4, ET, GA, GC, GJ, GR, KX, LT, PD, Q5, Q6, QJ, RT, XE, XP, XS, XU

CCI Alerts (version 27.3)

0213T[0], 0216T[0], 0567T[1], 0568T[1], 0569T[1], 0570T[1], 0571T[1], 0572T[1], 0573T[1], 0574T[1], 0580T[1], 0581T[1], 0582T[1], 11000[1], 11010[1], 11011[1], 11012[1], 11042[1], 11043[1], 11044[1], 11900[1], 11901[1], 13151[0], 13160[1], 15772[1], 15774[1], 20560[1], 20561[1], 20700[1], 20701[1], 36000[1], 36400[1], 36405[1], 36406[1], 36410[1], 36420[1], 36425[1], 36430[1], 36440[1], 36591[0], 36592[0], 36600[1], 36640[1], 43752[1], 51701[1], 51702[1], 51703[1], 64400[0], 64405[0], 64408[0], 64415[0], 64416[0], 64417[0], 64418[0], 64420[0], 64421[0], 64425[0], 64430[0], 64435[0], 64445[0], 64446[0], 64447[0], 64448[0], 64449[0], 64450[1], 64451[1], 64479[0], 64480[0], 64483[0], 64484[0], 64490[0], 64491[0], 64492[0], 64493[0], 64494[0], 64495[0], 64505[0], 64510[0], 64517[0], 64520[0], 64530[0], 64625[1], 66987[1], 66988[1], 69990[1], 92012[1], 92014[1], 93000[1], 93005[1], 93010[1], 93040[1], 93041[1], 93042[1], 93318[1], 93355[1], 94002[1], 94200[1], 94680[1], 94681[1], 94690[1], 95812[1], 95813[1], 95816[1], 95819[1], 95822[1], 95829[1], 95955[1], 96360[1], 96361[1], 96365[1], 96366[1], 96367[1], 96368[1], 96372[1], 96374[1], 96375[1], 96376[1], 96377[1], 96523[0], 97597[1], 97598[1], 97602[1], 97605[1], 97606[1], 97607[1], 97608[1], 99155[0], 99156[0], 99157[0], 99211[1], 99212[1], 99213[1], 99214[1], 99215[1], 99217[1], 99218[1], 99219[1], 99220[1], 99221[1], 99222[1], 99223[1], 99231[1], 99232[1], 99233[1], 99234[1], 99235[1], 99236[1], 99238[1], 99239[1], 99241[1], 99242[1], 99243[1], 99244[1], 99245[1], 99251[1], 99252[1], 99253[1], 99254[1], 99255[1], 99291[1], 99292[1], 99304[1], 99305[1], 99306[1], 99307[1], 99308[1], 99309[1], 99310[1], 99315[1], 99316[1], 99334[1], 99335[1], 99336[1], 99337[1], 99347[1], 99348[1], 99349[1], 99350[1], 99374[1], 99375[1], 99377[1], 99378[1], 99446[0], 99447[0], 99448[0], 99449[0], 99451[0], 99452[0], 99495[0], 99496[0], G0168[1], G0463[1], G0471[1], J0670[1], J2001[1]

ICD-10 CrossRef

C00.0-C00.9, C43.0, C43.10, C43.111, C43.112, C43.121, C43.122, C43.20-C43.22, C43.30-C43.39, C44.00-C44.09, C44.101, C44.1021, C44.1022, C44.1091, C44.1092, C44.111, C44.1121, C44.1122, C44.1191, C44.1192, C44.121, C44.1221, C44.1222, C44.1291, C44.1292, C44.131, C44.1321, C44.1322, C44.1391, C44.1392, C44.191, C44.1921, C44.1922, C44.1991, C44.1992, C44.201-C44.209, C44.211-C44.219, C44.221-C44.229, C44.291-C44.299, C44.301, C44.311, C44.321, C44.391, C4A.0-C4A.9, C4A.10, C4A.111, C4A.112, C4A.121, C4A.122, C4A.20-C4A.22, C4A.30-C4A.39, C7B.1, D03.0, D03.10, D03.111, D03.112, D03.121, D03.122, D03.20-D03.22, D03.30, D03.39, D04.0, D04.10, D04.111, D04.112, D04.121, D04.122, D04.20-D04.22, D04.30, D04.39, D10.0, D18.01, D22.0, D22.10, D22.111, D22.112, D22.121, D22.122, D22.20-D22.22, D23.0, D23.10, D23.111, D23.112, D23.121, D23.122, D23.20-D23.22, D48.5, D49.2, H02.821-H02.829, L72.0-L72.3, L72.8, L72.9, L90.5, L92.3, L92.8, L98.9, S01.111A, S01.112A, S01.119A, S01.121A, S01.122A, S01.129A, S01.131A, S01.132A, S01.139A, S01.141A, S01.142A, S01.149A, S01.151A, S01.152A, S01.159A, S01.21XA, S01.22XA, S01.23XA, S01.24XA, S01.25XA, S01.311A, S01.312A, S01.319A, S01.321A, S01.322A, S01.329A, S01.331A, S01.332A, S01.339A, S01.341A, S01.342A, S01.349A, S01.351A, S01.352A, S01.359A, S01.511A, S01.521A, S01.531A, S01.541A, S01.551A, S08.121A, S08.122A, S08.129A, S08.812A, S09.311A, S09.312A, S09.313A, S09.319A, S09.92XA, W26.2XXA, W26.8XXA, W26.9XXA

+13153

Repair, complex, eyelids, nose, ears and/or lips; each additional 5 cm or less (List separately in addition to code for primary procedure)

Clinical Responsibility

At a session where the provider has performed a 7.5 cm complex repair or multilayered closure of a wound to the eyelids, nose, ears, and/or lips, he performs an additional 5 cm or less complex repair, also to the eyelids, nose, ears, and/or lips. This procedure involves more than layered closure, involving such elements as extensive undermining, stents, or retained sutures. Preparation for this procedure includes creation of a defect for repairs, e.g., excision of a scar requiring a complex repair, or the debridement of complicated lacerations or avulsions.

Coding Tips

Elements of this procedure can include a Webster-type subcutaneous suture, a Gilles corner stitch, and/or a stellate laceration repair.

This is an add-on code and must be reported in conjunction with 13152.

Do not append modifier 50 to add-on codes when a procedure is performed bilaterally; instead, you should report the add-on code twice.

Modifier: 0 = not allowed, 1 = allowed

30000

Drainage abscess or hematoma, nasal, internal approach

Clinical Responsibility

When the patient is appropriately prepped and anesthetized, the provider makes a small incision within the nasal mucosa over the abscess or hematoma. He then gently suctions and flushes the fluid filled pocket with sterile saline. After he achieves hemostasis, he may secure a drain and then he closes the operative site in layers.

Fee Schedule

Medicare Fees National Conversion Factor: 34.8931, Facility: $121.43, Non Facility: $275.31, OPPS Facility: $51.64, OPPS Non Facility: $51.64
RVU Facility Work RVU: 1.48, PE RVU: 1.79, Malpractice RVU: 0.21, Total RVU: 3.48
RVU Non-Facility Work RVU: 1.48, PE RVU: 6.20, Malpractice RVU: 0.21, Total RVU: 7.89
Indicators Preoperative: 10.00, Intraoperative: 80.00, Postoperative: 10.00, Total RVU: 100, Global Period: 010, Radiology Diagnostic Test: 99, Code Status: A, PC/TC Indicator: 0, Endoscopic Base Code: None, MUE: 1
Modifier Allowances 22, 47, 51, 52, 53, 54, 55, 56, 58, 59, 63, 76, 77, 78, 79, 80, 81, 82, 99, AQ, AR, AS, CR, ET, GA, GC, GJ, GR, KX, PD, Q5, Q6, QJ, XE, XP, XS, XU

CCI Alerts (version 27.3)

0213T[0], 0216T[0], 0596T[1], 0597T[1], 10030[1], 10140[1], 12001[1], 12002[1], 12004[1], 12005[1], 12006[1], 12007[1], 12011[1], 12013[1], 12014[1], 12015[1], 12016[1], 12017[1], 12018[1], 12020[1], 12021[1], 12031[1], 12032[1], 12034[1], 12035[1], 12036[1], 12037[1], 12041[1], 12042[1], 12044[1], 12045[1], 12046[1], 12047[1], 12051[1], 12052[1], 12053[1], 12054[1], 12055[1], 12056[1], 12057[1], 13100[1], 13101[1], 13102[1], 13120[1], 13121[1], 13122[1], 13131[1], 13132[1], 13133[1], 13151[1], 13152[1], 13153[1], 30200[1], 30801[1], 36000[1], 36400[1], 36405[1], 36406[1], 36410[1], 36420[1], 36425[1], 36430[1], 36440[1], 36591[0], 36592[0], 36600[1], 36640[1], 43752[1], 51701[1], 51702[1], 51703[1], 62320[0], 62321[0], 62322[0], 62323[0], 62324[0], 62325[0], 62326[0], 62327[0], 64400[0], 64405[0], 64408[0], 64415[0], 64416[0], 64417[0], 64418[0], 64420[0], 64421[0], 64425[0], 64430[0], 64435[0], 64445[0], 64446[0], 64447[0], 64448[0], 64449[0], 64450[0], 64451[0], 64454[0], 64461[0], 64462[0], 64463[0], 64479[0], 64480[0], 64483[0], 64484[0], 64486[0], 64487[0], 64488[0], 64489[0], 64490[0], 64491[0], 64492[0], 64493[0], 64494[0], 64495[0], 64505[0], 64510[0], 64517[0], 64520[0], 64530[0], 69990[0], 92012[1], 92014[1], 92502[1], 93000[1], 93005[1], 93010[1], 93040[1], 93041[1], 93042[1], 93318[1], 93355[1], 94002[1], 94200[1], 94680[1], 94681[1], 94690[1], 95812[1], 95813[1], 95816[1], 95819[1], 95822[1], 95829[1], 95955[1], 96360[1], 96361[1], 96365[1], 96366[1], 96367[1], 96368[1], 96372[1], 96374[1], 96375[1], 96376[1], 96377[1], 96523[0], 99155[0], 99156[0], 99157[0], 99211[1], 99212[1], 99213[1], 99214[1], 99215[1], 99217[1], 99218[1], 99219[1], 99220[1], 99221[1], 99222[1], 99223[1], 99231[1], 99232[1], 99233[1], 99234[1], 99235[1], 99236[1], 99238[1], 99239[1], 99241[1], 99242[1], 99243[1], 99244[1], 99245[1], 99251[1], 99252[1], 99253[1], 99254[1], 99255[1], 99291[1], 99292[1], 99304[1], 99305[1], 99306[1], 99307[1], 99308[1], 99309[1], 99310[1], 99315[1], 99316[1], 99334[1], 99335[1], 99336[1], 99337[1], 99347[1], 99348[1], 99349[1], 99350[1], 99374[1], 99375[1], 99377[1], 99378[1], 99446[0], 99447[0], 99448[0], 99449[0], 99451[0], 99452[0], 99495[0], 99496[0], G0463[1], G0471[1], J0670[1], J2001[1]

ICD-10 CrossRef

G44.1, J34.0, J34.1, J34.89, J34.9, J95.61, J95.62, J95.860, J95.861, L76.01, L76.02, L76.31, L76.32, M70.98, R09.81, R50.82, S01.20XA, S01.21XA, S01.22XA, S01.23XA, S01.24XA, S01.25XA, S02.2XXA, S02.2XXB, S09.93XA, T81.33XA, Y36.410A-Y36.410S, Y36.411A-Y36.411S, Z99.0

30020

Drainage abscess or hematoma, nasal septum

Clinical Responsibility

When the patient is appropriately prepped and anesthetized, the provider makes a small incision within the nasal septum over the abscess or hematoma. He then gently suctions and flushes the fluid filled pocket with sterile saline. After achieving hemostasis, he may secure a drain, which he will remove usually within 48 hours. He may also pack the nasal cavity with gauze to compress the site and help with drainage. Finally, he may close the operative site in layers or leave it open to heal on its own.

Fee Schedule

Medicare Fees National Conversion Factor: 34.8931, Facility: $122.13, Non Facility: $277.75, OPPS Facility: $51.64, OPPS Non Facility: $51.64
RVU Facility Work RVU: 1.48, PE RVU: 1.81, Malpractice RVU: 0.21, Total RVU: 3.50
RVU Non-Facility Work RVU: 1.48, PE RVU: 6.27, Malpractice RVU: 0.21, Total RVU: 7.96
Indicators Preoperative: 10.00, Intraoperative: 80.00, Postoperative: 10.00, Total RVU: 100, Global Period: 010, Radiology Diagnostic Test: 99, Code Status: A, PC/TC Indicator: 0, Endoscopic Base Code: None, MUE: 1
Modifier Allowances 22, 47, 51, 52, 53, 54, 55, 56, 58, 59, 63, 76, 77, 78, 79, 99, AQ, AR, CR, ET, GA, GC, GJ, GR, KX, PD, Q5, Q6, QJ, XE, XP, XS, XU

CCI Alerts (version 27.3)

0213T[0], 0216T[0], 0596T[1], 0597T[1], 12001[1], 12002[1], 12004[1], 12005[1], 12006[1], 12007[1], 12011[1], 12013[1], 12014[1], 12015[1], 12016[1], 12017[1], 12018[1], 12020[1], 12021[1], 12031[1], 12032[1], 12034[1], 12035[1], 12036[1], 12037[1], 12041[1], 12042[1], 12044[1], 12045[1], 12046[1], 12047[1], 12051[1], 12052[1], 12053[1], 12054[1], 12055[1], 12056[1], 12057[1], 13100[1], 13101[1], 13102[1], 13120[1], 13121[1], 13122[1], 13131[1], 13132[1], 13133[1], 13151[1], 13152[1], 13153[1], 30000[1], 30200[1], 30801[1], 36000[1], 36400[1], 36405[1], 36406[1], 36410[1], 36420[1], 36425[1], 36430[1], 36440[1], 36591[0], 36592[0], 36600[1], 36640[1], 43752[1], 51701[1], 51702[1], 51703[1], 62320[0], 62321[0], 62322[0], 62323[0], 62324[0], 62325[0], 62326[0], 62327[0], 64400[0], 64405[0], 64408[0], 64415[0], 64416[0], 64417[0], 64418[0], 64420[0], 64421[0], 64425[0], 64430[0], 64435[0], 64445[0], 64446[0], 64447[0], 64448[0], 64449[0], 64450[0], 64451[0], 64454[0], 64461[0], 64462[0], 64463[0], 64479[0], 64480[0], 64483[0], 64484[0], 64486[0], 64487[0], 64488[0], 64489[0], 64490[0], 64491[0], 64492[0],

Fee Schedule

Medicare Fees National Conversion Factor: 34.8931, Facility: $79.21, Non Facility: $254.37, OPPS Facility: $53.74, OPPS Non Facility: $53.74
RVU Facility Work RVU: 1.54, PE RVU: 0.47, Malpractice RVU: 0.26, Total RVU: 2.27
RVU Non-Facility Work RVU: 1.54, PE RVU: 5.49, Malpractice RVU: 0.26, Total RVU: 7.29
Indicators Preoperative: 0.00, Intraoperative: 0.00, Postoperative: 0.00, Total RVU: 0, Global Period: 000, Radiology Diagnostic Test: 99, Code Status: A, PC/TC Indicator: 0, Endoscopic Base Code: None, MUE: 1
Modifier Allowances 22, 47, 50, 51, 52, 53, 58, 59, 63, 76, 77, 78, 79, 99, AQ, AR, CR, ET, GA, GC, GJ, GR, GY, GZ, KX, LT, PD, Q5, Q6, QJ, RT, XE, XP, XS, XU

CCI Alerts (version 27.3)

$0213T^0$, $0216T^0$, $0596T^1$, $0597T^1$, 12001^1, 12002^1, 12004^1, 12005^1, 12006^1, 12007^1, 12011^1, 12013^1, 12014^1, 12015^1, 12016^1, 12017^1, 12018^1, 12020^1, 12021^1, 12031^1, 12032^1, 12034^1, 12035^1, 12036^1, 12037^1, 12041^1, 12042^1, 12044^1, 12045^1, 12046^1, 12047^1, 12051^1, 12052^1, 12053^1, 12054^1, 12055^1, 12056^1, 12057^1, 13100^1, 13101^1, 13102^1, 13120^1, 13121^1, 13122^1, 13131^1, 13132^1, 13133^1, 13151^1, 13152^1, 13153^1, 30801^0, 30802^1, 30901^1, 30906^1, 36000^1, 36400^1, 36405^1, 36406^1, 36410^1, 36420^1, 36425^1, 36430^1, 36440^1, 36591^0, 36592^0, 36600^1, 36640^1, 43752^1, 51701^1, 51702^1, 51703^1, 62320^0, 62321^0, 62322^0, 62323^0, 62324^0, 62325^0, 62326^0, 62327^0, 64400^0, 64405^0, 64408^0, 64415^0, 64416^0, 64417^0, 64418^0, 64420^0, 64421^0, 64425^0, 64430^0, 64435^0, 64445^0, 64446^0, 64447^0, 64448^0, 64449^0, 64450^0, 64451^0, 64454^0, 64461^0, 64462^0, 64463^0, 64479^0, 64480^0, 64483^0, 64484^0, 64486^0, 64487^0, 64488^0, 64489^0, 64490^0, 64491^0, 64492^0, 64493^0, 64494^0, 64495^0, 64505^0, 64510^0, 64517^0, 64520^0, 64530^0, 69705^1, 69706^1, 69990^0, 92012^1, 92014^1, 92502^0, 92511^1, 93000^1, 93005^1, 93010^1, 93040^1, 93041^1, 93042^1, 93318^1, 93355^1, 94002^1, 94200^1, 94680^1, 94681^1, 94690^1, 95812^1, 95813^1, 95816^1, 95819^1, 95822^1, 95829^1, 95955^1, 96360^1, 96361^1, 96365^1, 96366^1, 96367^1, 96368^1, 96372^1, 96374^1, 96375^1, 96376^1, 96377^1, 96523^0, 99155^0, 99156^0, 99157^0, 99211^1, 99212^1, 99213^1, 99214^1, 99215^1, 99217^1, 99218^1, 99219^1, 99220^1, 99221^1, 99222^1, 99223^1, 99231^1, 99232^1, 99233^1, 99234^1, 99235^1, 99236^1, 99238^1, 99239^1, 99241^1, 99242^1, 99243^1, 99244^1, 99245^1, 99251^1, 99252^1, 99253^1, 99254^1, 99255^1, 99291^1, 99292^1, 99304^1, 99305^1, 99306^1, 99307^1, 99308^1, 99309^1, 99310^1, 99315^1, 99316^1, 99334^1, 99335^1, 99336^1, 99337^1, 99347^1, 99348^1, 99349^1, 99350^1, 99374^1, 99375^1, 99377^1, 99378^1, 99446^0, 99447^0, 99448^0, 99449^0, 99451^0, 99452^0, 99495^1, 99496^1, $G0463^1$, $G0471^1$, $J0670^1$, $J2001^1$

ICD-10 CrossRef

I78.8, I78.9, J95.61, J95.62, J95.71, J95.72, J95.830, J95.831, P54.8, R04.0

30905

Control nasal hemorrhage, posterior, with posterior nasal packs and/or cautery, any method; initial

Clinical Responsibility

When the patient is appropriately prepped and anesthetized, the provider chooses from various methods to stop bleeding caused by a vessel in the posterior part of the nose. He may insert a nasal balloon catheter and then inflate the balloon until there is pressure on the posterior nasal window. Pressure on the posterior nasal window controls bleeding. He then withdraws the balloon. The provider also may choose to pack the nose. Another option for bleeding that is difficult to control is to apply electrical coagulation. Use this code for initial treatment.

Coding Tips

If the provider controls a subsequent posterior nasal hemorrhage, by any method, report 30906.

Fee Schedule

Medicare Fees National Conversion Factor: 34.8931, Facility: $107.82, Non Facility: $369.87, OPPS Facility: $68.74, OPPS Non Facility: $68.74
RVU Facility Work RVU: 1.97, PE RVU: 0.78, Malpractice RVU: 0.34, Total RVU: 3.09
RVU Non-Facility Work RVU: 1.97, PE RVU: 8.29, Malpractice RVU: 0.34, Total RVU: 10.60
Indicators Preoperative: 0.00, Intraoperative: 0.00, Postoperative: 0.00, Total RVU: 0, Global Period: 000, Radiology Diagnostic Test: 99, Code Status: A, PC/TC Indicator: 0, Endoscopic Base Code: None, MUE: 1
Modifier Allowances 22, 47, 51, 52, 53, 58, 59, 63, 76, 77, 78, 79, 99, AQ, AR, CR, ET, GA, GC, GJ, GR, GY, GZ, KX, LT, PD, Q5, Q6, QJ, RT, XE, XP, XS, XU

CCI Alerts (version 27.3)

$0213T^0$, $0216T^0$, $0596T^1$, $0597T^1$, 12001^1, 12002^1, 12004^1, 12005^1, 12006^1, 12007^1, 12011^1, 12013^1, 12014^1, 12015^1, 12016^1, 12017^1, 12018^1, 12020^1, 12021^1, 12031^1, 12032^1, 12034^1, 12035^1, 12036^1, 12037^1, 12041^1, 12042^1, 12044^1, 12045^1, 12046^1, 12047^1, 12051^1, 12052^1, 12053^1, 12054^1, 12055^1, 12056^1, 12057^1, 13100^1, 13101^1, 13102^1, 13120^1, 13121^1, 13122^1, 13131^1, 13132^1, 13133^1, 13151^1, 13152^1, 13153^1, 30801^0, 30802^1, 30901^1, 30903^1, 30906^1, 36000^1, 36400^1, 36405^1, 36406^1, 36410^1, 36420^1, 36425^1, 36430^1, 36440^1, 36591^0, 36592^0, 36600^1, 36640^1, 43752^1, 51701^1, 51702^1, 51703^1, 62320^0, 62321^0, 62322^0, 62323^0, 62324^0, 62325^0, 62326^0, 62327^0, 64400^0, 64405^0, 64408^0, 64415^0, 64416^0, 64417^0, 64418^0, 64420^0, 64421^0, 64425^0, 64430^0, 64435^0, 64445^0, 64446^0, 64447^0, 64448^0, 64449^0, 64450^0, 64451^0, 64454^0, 64461^0, 64462^0, 64463^0, 64479^0, 64480^0, 64483^0, 64484^0, 64486^0, 64487^0, 64488^0, 64489^0, 64490^0, 64491^0, 64492^0, 64493^0, 64494^0, 64495^0, 64505^0, 64510^0, 64517^0, 64520^0, 64530^0, 69705^1, 69706^1, 69990^0, 92012^1, 92014^1, 92502^0, 92511^1, 93000^1, 93005^1, 93010^1, 93040^1, 93041^1, 93042^1, 93318^1, 93355^1, 94002^1, 94200^1, 94680^1, 94681^1, 94690^1, 95812^1, 95813^1, 95816^1, 95819^1, 95822^1, 95829^1, 95955^1, 96360^1, 96361^1, 96365^1, 96366^1, 96367^1, 96368^1, 96372^1, 96374^1, 96375^1, 96376^1, 96377^1, 96523^0, 99155^0, 99156^0, 99157^0, 99211^1, 99212^1, 99213^1, 99214^1, 99215^1, 99217^1, 99218^1, 99219^1, 99220^1, 99221^1, 99222^1, 99223^1, 99231^1, 99232^1, 99233^1, 99234^1, 99235^1, 99236^1, 99238^1, 99239^1, 99241^1, 99242^1, 99243^1, 99244^1, 99245^1, 99251^1, 99252^1, 99253^1, 99254^1, 99255^1, 99291^1, 99292^1, 99304^1, 99305^1, 99306^1, 99307^1, 99308^1, 99309^1, 99310^1, 99315^1, 99316^1, 99334^1, 99335^1, 99336^1,

Modifier: 0 = not allowed, 1 = allowed

ICD-10 CrossRef Details

A00.0	Cholera due to Vibrio cholerae 01, biovar cholerae
A00.1	Cholera due to Vibrio cholerae 01, biovar eltor
A00.9	Cholera, unspecified
A01.01	Typhoid meningitis
A01.09	Typhoid fever with other complications
A02.0	Salmonella enteritis
A02.1	Salmonella sepsis
A02.20	Localized salmonella infection, unspecified
A02.21	Salmonella meningitis
A02.22	Salmonella pneumonia
A02.23	Salmonella arthritis
A02.24	Salmonella osteomyelitis
A02.25	Salmonella pyelonephritis
A02.29	Salmonella with other localized infection
A02.8	Other specified salmonella infections
A02.9	Salmonella infection, unspecified
A03.0	Shigellosis due to Shigella dysenteriae
A04.0	Enteropathogenic Escherichia coli infection
A04.1	Enterotoxigenic Escherichia coli infection
A04.2	Enteroinvasive Escherichia coli infection
A04.3	Enterohemorrhagic Escherichia coli infection
A04.4	Other intestinal Escherichia coli infections
A04.5	Campylobacter enteritis
A04.6	Enteritis due to Yersinia enterocolitica
A04.71	Enterocolitis due to Clostridium difficile, recurrent
A04.72	Enterocolitis due to Clostridium difficile, not specified as recurrent
A04.8	Other specified bacterial intestinal infections
A04.9	Bacterial intestinal infection, unspecified
A05.0	Foodborne staphylococcal intoxication
A05.1	Botulism food poisoning
A05.8	Other specified bacterial foodborne intoxications
A05.9	Bacterial foodborne intoxication, unspecified
A06.0	Acute amebic dysentery
A06.1	Chronic intestinal amebiasis
A06.2	Amebic nondysenteric colitis
A06.3	Ameboma of intestine
A06.4	Amebic liver abscess
A06.5	Amebic lung abscess
A06.6	Amebic brain abscess
A06.7	Cutaneous amebiasis
A06.81	Amebic cystitis
A06.82	Other amebic genitourinary infections
A06.89	Other amebic infections
A06.9	Amebiasis, unspecified
A07.2	Cryptosporidiosis
A07.3	Isosporiasis
A07.8	Other specified protozoal intestinal diseases
A08.0	Rotaviral enteritis
A08.11	Acute gastroenteropathy due to Norwalk agent
A08.19	Acute gastroenteropathy due to other small round viruses
A08.2	Adenoviral enteritis
A08.31	Calicivirus enteritis
A08.32	Astrovirus enteritis
A08.39	Other viral enteritis
A08.4	Viral intestinal infection, unspecified
A08.8	Other specified intestinal infections
A09	Infectious gastroenteritis and colitis, unspecified
A15.0	Tuberculosis of lung
A15.4	Tuberculosis of intrathoracic lymph nodes
A15.5	Tuberculosis of larynx, trachea and bronchus
A15.6	Tuberculous pleurisy
A15.7	Primary respiratory tuberculosis
A15.8	Other respiratory tuberculosis
A15.9	Respiratory tuberculosis unspecified
A17.0	Tuberculous meningitis
A17.1	Meningeal tuberculoma
A17.81	Tuberculoma of brain and spinal cord
A17.82	Tuberculous meningoencephalitis
A17.83	Tuberculous neuritis
A17.89	Other tuberculosis of nervous system
A17.9	Tuberculosis of nervous system, unspecified
A18.01	Tuberculosis of spine
A18.02	Tuberculous arthritis of other joints
A18.03	Tuberculosis of other bones
A18.09	Other musculoskeletal tuberculosis
A18.10	Tuberculosis of genitourinary system, unspecified
A18.11	Tuberculosis of kidney and ureter
A18.12	Tuberculosis of bladder
A18.13	Tuberculosis of other urinary organs
A18.14	Tuberculosis of prostate
A18.15	Tuberculosis of other male genital organs
A18.16	Tuberculosis of cervix
A18.17	Tuberculous female pelvic inflammatory disease
A18.18	Tuberculosis of other female genital organs
A18.2	Tuberculous peripheral lymphadenopathy
A18.31	Tuberculous peritonitis
A18.32	Tuberculous enteritis
A18.39	Retroperitoneal tuberculosis
A18.4	Tuberculosis of skin and subcutaneous tissue
A18.50	Tuberculosis of eye, unspecified
A18.51	Tuberculous episcleritis
A18.52	Tuberculous keratitis
A18.53	Tuberculous chorioretinitis
A18.54	Tuberculous iridocyclitis
A18.59	Other tuberculosis of eye
A18.6	Tuberculosis of (inner) (middle) ear
A18.7	Tuberculosis of adrenal glands
A18.81	Tuberculosis of thyroid gland
A18.82	Tuberculosis of other endocrine glands
A18.83	Tuberculosis of digestive tract organs, not elsewhere classified
A18.84	Tuberculosis of heart
A18.85	Tuberculosis of spleen
A18.89	Tuberculosis of other sites
A19.0	Acute miliary tuberculosis of a single specified site
A19.1	Acute miliary tuberculosis of multiple sites
A19.2	Acute miliary tuberculosis, unspecified
A19.8	Other miliary tuberculosis
A19.9	Miliary tuberculosis, unspecified
A20.3	Plague meningitis
A21.1	Oculoglandular tularemia
A22.7	Anthrax sepsis
A26.7	Erysipelothrix sepsis
A27.0	Leptospirosis icterohemorrhagica
A27.81	Aseptic meningitis in leptospirosis
A27.89	Other forms of leptospirosis
A28.1	Cat-scratch disease
A28.8	Other specified zoonotic bacterial diseases, not elsewhere classified
A28.9	Zoonotic bacterial disease, unspecified
A31.0	Pulmonary mycobacterial infection
A31.1	Cutaneous mycobacterial infection
A31.2	Disseminated mycobacterium avium-intracellulare complex (DMAC)
A31.8	Other mycobacterial infections
A31.9	Mycobacterial infection, unspecified
A32.0	Cutaneous listeriosis
A32.11	Listerial meningitis
A32.12	Listerial meningoencephalitis
A32.7	Listerial sepsis
A32.81	Oculoglandular listeriosis
A32.82	Listerial endocarditis
A32.89	Other forms of listeriosis
A32.9	Listeriosis, unspecified
A33	Tetanus neonatorum
A34	Obstetrical tetanus
A35	Other tetanus
A36.0	Pharyngeal diphtheria
A36.1	Nasopharyngeal diphtheria
A36.2	Laryngeal diphtheria
A36.3	Cutaneous diphtheria
A36.81	Diphtheritic cardiomyopathy
A36.82	Diphtheritic radiculomyelitis
A36.83	Diphtheritic polyneuritis
A36.84	Diphtheritic tubulo-interstitial nephropathy
A36.85	Diphtheritic cystitis
A36.86	Diphtheritic conjunctivitis
A36.89	Other diphtheritic complications
A36.9	Diphtheria, unspecified
A37.00	Whooping cough due to Bordetella pertussis without pneumonia
A37.01	Whooping cough due to Bordetella pertussis with pneumonia
A37.10	Whooping cough due to Bordetella parapertussis without pneumonia
A37.11	Whooping cough due to Bordetella parapertussis with pneumonia
A37.80	Whooping cough due to other Bordetella species without pneumonia
A37.81	Whooping cough due to other Bordetella species with pneumonia
A37.90	Whooping cough, unspecified species without pneumonia
A37.91	Whooping cough, unspecified species with pneumonia
A38.0	Scarlet fever with otitis media
A38.1	Scarlet fever with myocarditis
A38.8	Scarlet fever with other complications
A38.9	Scarlet fever, uncomplicated
A39.0	Meningococcal meningitis
A39.1	Waterhouse-Friderichsen syndrome
A39.2	Acute meningococcemia
A39.3	Chronic meningococcemia
A39.4	Meningococcemia, unspecified
A39.50	Meningococcal carditis, unspecified
A39.51	Meningococcal endocarditis
A39.52	Meningococcal myocarditis
A39.53	Meningococcal pericarditis
A39.81	Meningococcal encephalitis

B27.00	Gammaherpesviral mononucleosis without complication
B27.01	Gammaherpesviral mononucleosis with polyneuropathy
B27.02	Gammaherpesviral mononucleosis with meningitis
B27.09	Gammaherpesviral mononucleosis with other complications
B27.10	Cytomegaloviral mononucleosis without complications
B27.11	Cytomegaloviral mononucleosis with polyneuropathy
B27.12	Cytomegaloviral mononucleosis with meningitis
B27.19	Cytomegaloviral mononucleosis with other complication
B27.80	Other infectious mononucleosis without complication
B27.81	Other infectious mononucleosis with polyneuropathy
B27.82	Other infectious mononucleosis with meningitis
B27.89	Other infectious mononucleosis with other complication
B27.90	Infectious mononucleosis, unspecified without complication
B27.91	Infectious mononucleosis, unspecified with polyneuropathy
B27.92	Infectious mononucleosis, unspecified with meningitis
B27.99	Infectious mononucleosis, unspecified with other complication
B33.20	Viral carditis, unspecified
B33.21	Viral endocarditis
B33.22	Viral myocarditis
B33.23	Viral pericarditis
B33.24	Viral cardiomyopathy
B33.3	Retrovirus infections, not elsewhere classified
B33.4	Hantavirus (cardio)-pulmonary syndrome [HPS] [HCPS]
B34.0	Adenovirus infection, unspecified
B34.1	Enterovirus infection, unspecified
B34.2	Coronavirus infection, unspecified
B34.3	Parvovirus infection, unspecified
B34.4	Papovavirus infection, unspecified
B34.8	Other viral infections of unspecified site
B34.9	Viral infection, unspecified
B35.1	Tinea unguium
B36.0	Pityriasis versicolor
B36.9	Superficial mycosis, unspecified
B37.0	Candidal stomatitis
B37.1	Pulmonary candidiasis
B37.2	Candidiasis of skin and nail
B37.3	Candidiasis of vulva and vagina
B37.41	Candidal cystitis and urethritis
B37.42	Candidal balanitis
B37.49	Other urogenital candidiasis
B37.5	Candidal meningitis
B37.6	Candidal endocarditis
B37.7	Candidal sepsis
B37.81	Candidal esophagitis
B37.82	Candidal enteritis
B37.83	Candidal cheilitis
B37.84	Candidal otitis externa
B37.89	Other sites of candidiasis
B37.9	Candidiasis, unspecified
B38.0	Acute pulmonary coccidioidomycosis
B38.1	Chronic pulmonary coccidioidomycosis
B38.2	Pulmonary coccidioidomycosis, unspecified
B38.3	Cutaneous coccidioidomycosis
B38.4	Coccidioidomycosis meningitis
B38.7	Disseminated coccidioidomycosis
B38.81	Prostatic coccidioidomycosis
B38.89	Other forms of coccidioidomycosis
B38.9	Coccidioidomycosis, unspecified
B39.0	Acute pulmonary histoplasmosis capsulati
B39.1	Chronic pulmonary histoplasmosis capsulati
B39.2	Pulmonary histoplasmosis capsulati, unspecified
B39.3	Disseminated histoplasmosis capsulati
B39.4	Histoplasmosis capsulati, unspecified
B39.5	Histoplasmosis duboisii
B39.9	Histoplasmosis, unspecified
B40.0	Acute pulmonary blastomycosis
B40.1	Chronic pulmonary blastomycosis
B40.2	Pulmonary blastomycosis, unspecified
B40.3	Cutaneous blastomycosis
B40.7	Disseminated blastomycosis
B40.81	Blastomycotic meningoencephalitis
B40.89	Other forms of blastomycosis
B40.9	Blastomycosis, unspecified
B41.0	Pulmonary paracoccidioidomycosis
B41.7	Disseminated paracoccidioidomycosis
B41.8	Other forms of paracoccidioidomycosis
B41.9	Paracoccidioidomycosis, unspecified
B42.0	Pulmonary sporotrichosis
B42.1	Lymphocutaneous sporotrichosis
B42.7	Disseminated sporotrichosis
B42.81	Cerebral sporotrichosis
B42.82	Sporotrichosis arthritis
B42.89	Other forms of sporotrichosis
B42.9	Sporotrichosis, unspecified
B43.0	Cutaneous chromomycosis
B43.1	Pheomycotic brain abscess
B43.2	Subcutaneous pheomycotic abscess and cyst
B43.8	Other forms of chromomycosis
B43.9	Chromomycosis, unspecified
B44.0	Invasive pulmonary aspergillosis
B44.1	Other pulmonary aspergillosis

B44.2	Tonsillar aspergillosis
B44.7	Disseminated aspergillosis
B44.81	Allergic bronchopulmonary aspergillosis
B44.89	Other forms of aspergillosis
B44.9	Aspergillosis, unspecified
B45.0	Pulmonary cryptococcosis
B45.1	Cerebral cryptococcosis
B45.2	Cutaneous cryptococcosis
B45.3	Osseous cryptococcosis
B45.7	Disseminated cryptococcosis
B45.8	Other forms of cryptococcosis
B45.9	Cryptococcosis, unspecified
B47.1	Actinomycetoma
B47.9	Mycetoma, unspecified
B48.0	Lobomycosis
B48.4	Penicillosis
B48.8	Other specified mycoses
B50.0	Plasmodium falciparum malaria with cerebral complications
B51.8	Plasmodium vivax malaria with other complications
B51.9	Plasmodium vivax malaria without complication
B52.0	Plasmodium malariae malaria with nephropathy
B52.8	Plasmodium malariae malaria with other complications
B52.9	Plasmodium malariae malaria without complication
B55.0	Visceral leishmaniasis
B55.1	Cutaneous leishmaniasis
B55.2	Mucocutaneous leishmaniasis
B55.9	Leishmaniasis, unspecified
B57.0	Acute Chagas' disease with heart involvement
B57.2	Chagas' disease (chronic) with heart involvement
B57.41	Meningitis in Chagas' disease
B57.42	Meningoencephalitis in Chagas' disease
B57.49	Other nervous system involvement in Chagas' disease
B58.00	Toxoplasma oculopathy, unspecified
B58.01	Toxoplasma chorioretinitis
B58.09	Other toxoplasma oculopathy
B58.1	Toxoplasma hepatitis
B58.2	Toxoplasma meningoencephalitis
B58.3	Pulmonary toxoplasmosis
B58.81	Toxoplasma myocarditis
B58.82	Toxoplasma myositis
B58.83	Toxoplasma tubulo-interstitial nephropathy
B58.89	Toxoplasmosis with other organ involvement
B58.9	Toxoplasmosis, unspecified
B59	Pneumocystosis
B60.00	Babesiosis, unspecified
B60.01	Babesiosis due to Babesia microti
B60.02	Babesiosis due to Babesia duncani
B60.03	Babesiosis due to Babesia divergens
B60.09	Other babesiosis
B60.10	Acanthamebiasis, unspecified
B60.11	Meningoencephalitis due to Acanthamoeba (culbertsoni)
B60.12	Conjunctivitis due to Acanthamoeba
B60.13	Keratoconjunctivitis due to Acanthamoeba
B60.19	Other acanthamebic disease
B60.2	Naegleriasis
B60.8	Other specified protozoal diseases
B65.0	Schistosomiasis due to Schistosoma haematobium [urinary schistosomiasis]
B65.1	Schistosomiasis due to Schistosoma mansoni [intestinal schistosomiasis]
B65.2	Schistosomiasis due to Schistosoma japonicum
B65.3	Cercarial dermatitis
B65.8	Other schistosomiasis
B65.9	Schistosomiasis, unspecified
B66.0	Opisthorchiasis
B66.1	Clonorchiasis
B66.2	Dicroceliasis
B66.3	Fascioliasis
B66.4	Paragonimiasis
B66.5	Fasciolopsiasis
B66.8	Other specified fluke infections
B66.9	Fluke infection, unspecified
B67.0	Echinococcus granulosus infection of liver
B67.1	Echinococcus granulosus infection of lung
B67.2	Echinococcus granulosus infection of bone
B67.31	Echinococcus granulosus infection, thyroid gland
B67.32	Echinococcus granulosus infection, multiple sites
B67.39	Echinococcus granulosus infection, other sites
B67.4	Echinococcus granulosus infection, unspecified
B67.5	Echinococcus multilocularis infection of liver
B67.61	Echinococcus multilocularis infection, multiple sites
B67.69	Echinococcus multilocularis infection, other sites
B67.7	Echinococcus multilocularis infection, unspecified
B67.8	Echinococcosis, unspecified, of liver
B71.0	Hymenolepiasis
B71.1	Dipylidiasis
B71.8	Other specified cestode infections
B71.9	Cestode infection, unspecified
B77.0	Ascariasis with intestinal complications
B77.89	Ascariasis with other complications
B78.0	Intestinal strongyloidiasis

Modifier Descriptors

Modifier	Description
CPT® Modifiers	
22	Increased Procedural Services
23	Unusual Anesthesia
24	Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period
25	Significant, Separately Identifiable Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional on the Same Day of the Procedure or Other Service
26	Professional Component
27	Multiple Outpatient Hospital E/M Encounters on the Same Date
32	Mandated Services
33	Preventive Services
47	Anesthesia by Surgeon
50	Bilateral Procedure
51	Multiple Procedures
52	Reduced Services
53	Discontinued Procedure
54	Surgical Care Only
55	Postoperative Management Only
56	Preoperative Management Only
57	Decision for Surgery
58	Staged or Related Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period
59	Distinct Procedural Service
62	Two Surgeons
63	Procedure Performed on Infants less than 4 kg
66	Surgical Team
73	Discontinued Out-Patient Hospital/Ambulatory Surgery Center (ASC) Procedure Prior to the Administration of Anesthesia
74	Discontinued Out-Patient Hospital/Ambulatory Surgery Center (ASC) Procedure After Administration of Anesthesia
76	Repeat Procedure or Service by Same Physician or Other Qualified Health Care Professional
77	Repeat Procedure by Another Physician or Other Qualified Health Care Professional
78	Unplanned Return to the Operating/Procedure Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the Postoperative Period

Modifier	Description
79	Unrelated Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period
80	Assistant Surgeon
81	Minimum Assistant Surgeon
82	Assistant Surgeon (when qualified resident surgeon not available)
90	Reference (Outside) Laboratory
91	Repeat Clinical Diagnostic Laboratory Test
92	Alternative Laboratory Platform Testing
95	Synchronous Telemedicine Service Rendered Via a Real-Time Interactive Audio and Video Telecommunications System
96	Habilitative Services
97	Rehabilitative Services
99	Multiple Modifiers
Category II Modifiers	
1P	Performance Measure Exclusion Modifier due to Medical Reasons
2P	Performance Measure Exclusion Modifier due to Patient Reasons
3P	Performance Measure Exclusion Modifier due to System Reasons
8P	Performance Measure Reporting Modifier - Action Not Performed, Reason Not Otherwise Specified
HCPCS Level II Modifiers	
A1	Dressing for one wound
A2	Dressing for two wounds
A3	Dressing for three wounds
A4	Dressing for four wounds
A5	Dressing for five wounds
A6	Dressing for six wounds
A7	Dressing for seven wounds
A8	Dressing for eight wounds
A9	Dressing for nine or more wounds
AA	Anesthesia services performed personally by anesthesiologist
AD	Medical supervision by a physician: more than four concurrent anesthesia procedures
AE	Registered dietician
AF	Specialty physician
AG	Primary physician
AH	Clinical psychologist
AI	Principal physician of record

Modifier	Description
GM	Multiple patients on one ambulance trip
GN	Services delivered under an outpatient speech language pathology plan of care
GO	Services delivered under an outpatient occupational therapy plan of care
GP	Services delivered under an outpatient physical therapy plan of care
GQ	Via asynchronous telecommunications system
GR	This service was performed in whole or in part by a resident in a department of veterans affairs medical center or clinic, supervised in accordance with VA policy
GS	Dosage of erythropoietin stimulating agent has been reduced and maintained in response to hematocrit or hemoglobin level
GT	Via interactive audio and video telecommunication systems
GU	Waiver of liability statement issued as required by payer policy, routine notice
GV	Attending physician not employed or paid under arrangement by the patient's hospice provider
GW	Service not related to the hospice patient's terminal condition
GX	Notice of liability issued, voluntary under payer policy
GY	Item or service statutorily excluded, does not meet the definition of any Medicare benefit or, for Non-Medicare insurers, is not a contract benefit
GZ	Item or service expected to be denied as not reasonable and necessary
H9	Court-ordered
HA	Child/adolescent program
HB	Adult program, non-geriatric
HC	Adult program, geriatric
HD	Pregnant/parenting women's program
HE	Mental health program
HF	Substance abuse program
HG	Opioid addiction treatment program
HH	Integrated mental health/substance abuse program
HI	Integrated mental health and intellectual disability/developmental disabilities program
HJ	Employee assistance program
HK	Specialized mental health programs for high-risk populations
HL	Intern
HM	Less than bachelor degree level
HN	Bachelor's degree level
HO	Master's degree level
HP	Doctoral level

Modifier	Description
HQ	Group setting
HR	Family/couple with client present
HS	Family/couple without client present
HT	Multi-disciplinary team
HU	Funded by child welfare agency
HV	Funded state addictions agency
HW	Funded by state mental health agency
HX	Funded by county/local agency
HY	Funded by juvenile justice agency
HZ	Funded by criminal justice agency
J1	Competitive acquisition program no-pay submission for a prescription number
J2	Competitive acquisition program, restocking of emergency drugs after emergency administration
J3	Competitive acquisition program (CAP), drug not available through cap as written, reimbursed under average sales price methodology
J4	DMEPOS item subject to DMEPOS competitive bidding program that is furnished by a hospital upon discharge
J5	Off-the-shelf orthotic subject to DMEPOS competitive bidding program that is furnished as part of a physical therapist or occupational therapist professional service
JA	Administered intravenously
JB	Administered subcutaneously
JC	Skin substitute used as a graft
JD	Skin substitute not used as a graft
JE	Administered via dialysate
JG	Drug or biological acquired with 340b drug pricing program discount
JW	Drug amount discarded/not administered to any patient
K0	Lower extremity prosthesis functional level 0 - does not have the ability or potential to ambulate or transfer safely with or without assistance and a prosthesis does not enhance their quality of life or mobility
K1	Lower extremity prosthesis functional level 1 - has the ability or potential to use a prosthesis for transfers or ambulation on level surfaces at fixed cadence, typical of the limited and unlimited household ambulator
K2	Lower extremity prosthesis functional level 2 - has the ability or potential for ambulation with the ability to traverse low level environmental barriers such as curbs, stairs or uneven surfaces, typical of the limited community ambulator

Terminology

Terminology	Explanation
23 valent	A vaccine that contains 23 of the most common types of pneumococcal bacteria to help prevent infection.
Abdominal paracentesis	Surgical puncture of the abdominal cavity for the removal of fluid for diagnosis or treatment.
Abdominal wall	May refer to muscle covering the abdomen, or to the skin, fascia, muscle, and membranes marking the boundaries of the abdominal cavity.
Abscess	Sac or pocket formed due to the accumulation of purulent material, pus, in the soft tissue.
Acellular pertussis	Highly infectious respiratory disease; also called whooping cough.
Acetabulum	The cup shaped socket of the hip joint.
Acetic acid	A substance with antibacterial and antifungal qualities.
Acromioclavicular, or AC, joint	Union of the acromion, a bony projection on the shoulder blade, and the clavicle, or collar bone.
Activities of daily living (ADL)	Basic daily activities of life such as eating, bathing, dressing, toileting and walking.
Acute	A medical condition or injury of sudden onset, sometimes severe in nature, and typically lasts a short period of time; opposite of chronic.
Acute respiratory distress	Sudden onset of difficulty breathing or periods of apnea, or failure to breathe.
Adenovirus	DNA viruses that cause infection in the lungs and eyes.
Adhesions	Fibrous bands, which typically result from inflammation or injury during surgery, that form between tissues and organs; they may be thought of as internal scar tissue.
Adhesive material	Cotton or a fabric coated with a covering that is used to cover minor skin injuries.
Adjuvant	A substance added to the vaccine to boost body's immune response to the vaccine.
Adolescent	Teenager.
Advanced life support	Emergency prehospital services that use invasive medical actions, such as administration of intravenous fluids or drugs, intubation, and cardioversion or defibrillation.
Affinity separation	A biochemical method of dividing substances by binding their specific antigens to specific antibodies.
Albumin	A liver protein that tells a provider about a patient's liver function and nutritional status by measuring the level of the protein in the blood.
Ambulatory	The ability to walk or suitability for walking.
Amniotic fluid	Fluid present in the amniotic sac that surrounds the fetus thereby preventing the fetus from any external injury or shock.
Amniotic sac	A sac in the uterus that has fluid which protects the fetus from any external shock during pregnancy.
Amplification	Making more copies of desired gene for study by processes such as polymerase chain reaction, called PCR, or transcription of DNA to RNA and reverse transcription from RNA to make an additional copy of the DNA.
Anal canal	The terminal, or end portion of the digestive tube from the rectum to the anus.
Analgesic	Medicines that give relief from pain.
Anatomical neck humerus	The portion of the humerus that separates the greater and lesser tubercles from the humeral head, or the forearm muscles.
Anatomical position	The position of human body taken as a reference while explaining the orientation of body parts amongst themselves, the position includes the person standing with neck and spine erect, looking in front, square shoulders, arms by the side, and palms rotated to face forwards.
Anesthesia	A medication induced state that reduces or eliminates sensitivity to pain, depending upon the type of anesthesia administered; general anesthesia renders the patient completely unconscious, while local or regional anesthesia reduce sensation to pain in specific areas of the body.
Anesthetic	Substance that reduces sensitivity to pain.
Aneurysm	Weakness in the wall of a blood vessel or wall of a ventricle of the heart, typically the left ventricle, causing the wall to balloon out; sometimes requiring surgical excision or repair to prevent rupture.
Angioplasty	A surgical procedure to widen a narrowed or blocked artery.
Anterior	Closer to the front part of the body.
Anterolateral thoracotomy	Surgical incision through the anterior, or front, chest wall to the side.
Anteroposterior, or AP, view	The X-ray projection travels from front to back.
Antibiotic	Substance that inhibits or treats bacterial infections.
Antibiotic solution	A solution of water or saline that contains an antibiotic, a substance that inhibits infection.
Antibody	A protein produced by the immune system in response to an antigen; lab tests may utilize reactions between antibodies and antigens to identify a substance in a patient specimen.
Anticoagulant drug	A drug that causes a delay in clotting of blood, thus preventing the chances of myocardial infarction, stroke, blood clot in the brain, or deep vein thrombosis.
Antigen	A substance that can stimulate the immune system to produce antibodies; lab tests may utilize reactions between antibodies and antigens to identify a substance in a patient specimen.

Terminology	Explanation
Cesarean section, C section	A surgical procedure to deliver an infant through an incision rather than vaginally; also called a surgical birth or a cesarean delivery.
Chemical cautery	A chemical agent that destroys the abnormal tissues by burning or scarring.
Chemiluminescent	A chemical reaction that creates light.
Cholangiography	A radiologic examination of the bile ducts using contrast.
Cholecystography	X-ray of the gallbladder often used to detect gallstones.
Choroidal detachment	The middle vascular membrane that lies between the retina and the sclera, known as the choroid, becomes lifted from the sclera by an accumulation of eye fluid or blood.
Chromatography	Chromatography methodologies separate and analyze the level or presence of a specific analyte in a chemical mixture carried by liquid or gas.
Chromosome	Thread like structure that consists of chromatin and are important for carrying genetic information in the form of genes.
Chronic	A condition that is long lasting, typically slow to develop, and with symptoms of less severity than an acute condition.
Cirrhosis	A chronic disease of the liver with inflammation and fibrous changes, frequently caused by Hepatitis or alcoholism.
Clavicle	The collarbone, a horizontal bone that connects the sternum, or breastbone, to the scapula, or shoulder blade.
Clean catch sample	A urine specimen collected by inserting the collection container into the urine stream and removing the container before stopping the urine flow, allowing for a specimen that is less likely to be contaminated.
Closed fracture treatment	Involves manipulating fractured bones back into place without incising the skin.
Closed treatment	The dislocation site is not surgically opened (exposed to the external environment and directly visible). Closed treatments can be performed with or without manipulation and/or traction. With manipulation, the physician must move or adjust the involved bone(s) to improve their position or alignment.
Clot	A thick, viscous, or coagulated mass or lump, such as a mass of blood.
Clubfoot	Also known as talipes equinovarus, a congenital or acquired condition in which the foot is severely abnormally twisted.
Clue cells	Epithelial cells that contain rod shaped bacteria implicated as the cause of bacterial vaginosis.
CMV immunoglobulin	A preparation of human immunoglobulin for intravenous administration.
Coagulation	The process that changes liquid blood to a gel, also called clotting.
Coccygeal fracture	A crack in the tail bone, or coccyx.
Coccyx	Small bone at the end of the vertebral column, referred to as the tailbone.
Colles fracture	Fracture of the distal radius, near the wrist, with the fragment tilted upward.
Collimator	A device that helps to shape the beam of radiation emerging from the machine and it limits the maximum field size of a beam.
Colon	Large intestine or large bowel, the lower portion of the intestines starting at the distal, or lowermost, part of the small intestines and going to the anus; it includes the cecum, the ascending, transverse, descending, and sigmoid colon, the rectum, and the anal canal.
Colonography	X-ray imaging of the colon.
Colorrhaphy	Suturing of the large intestine.
Colostomy	A surgically created passage from the large intestine, or colon, to the external surface of the abdomen to divert food waste through a stoma, or opening on the skin, into a bag worn externally.
Combination vaccine	A vaccine with components that protect against multiple illnesses; they reduce the number of injections required and help promote timely vaccinations and complete immunizations.
Complex repairs	These are often reconstructive procedures and include the creation of a defect to be repaired (for instance, excision of the scar and subsequent closure). Such repairs do not, however, include lesion excision, which is separately reportable.
Computed tomography	Computed tomography, or CT, is when the provider rotates an X-ray tube and X-ray detectors around a patient, which produces a tomogram, a computer-generated cross-sectional image; providers use CT to diagnose, manage, and treat diseases.
Concretions	Small stones or calculi, typically formed from salts or other substances; conjunctival concretions appear cystic, like tiny sacs.
Concurrent infusion	An infusion that occurs at the same time as another infusion.
Condyle	Rounded projection on the end of a bone, usually associated with a joint connecting with another bone.
Congenital abnormalities	Birth defects.
Conjugate vaccine	A vaccine created by combining a small piece of a single bacterium with a carrier protein to induce a stronger immune response in the body than the bacterium alone would otherwise generate.
Conjunctiva	The transparent membrane covering the front of the eye and lining the eyelids.
Connective tissue	One of four types of body tissues, it connects and protects other tissues and structures; other tissue types are epithelial, muscle, and nervous; connective tissue can be loose or fibrous.
Contrast material	A special dye used in radiology imaging to improve the visibility of internal structures or organs of the body, which providers administer to patients through various routes, including oral and intravenously; also called contrast material, contrast medium, contrast media, contrast agent, or contrast dye.
Coronoid process	Rounded projection on the proximal end of the ulna at the elbow.
Cricothyroid membrane	An elastic tissue cartilage that is attached to cricoid cartilage, the ring of cartilage around the trachea.

Code Index

Thank You for Your Contribution to the Hardship Fund

AAPCCA
HARDSHIP FUND

Thanks to your book purchase, AAPC will be able to help even more members who face financial difficulty through the Hardship Fund.

The Hardship Fund is a financial aid program created to assist our members with:

✔ **Maintaining their membership and certification through membership renewal dues, exam prep tools and more**

✔ **Registration for national or regional conferences**

✔ **Certain local chapter events**

All awards are based on the availability of funds and the applicant's ability to demonstrate reasonable hardship. A portion of each book sale goes to helping more applicants through their time of need. We appreciate your contribution and your support for your fellow AAPC members.

To learn more about the Hardship Fund and its efforts or apply for financial assistance, **visit aapc.com.**

AAPC